

uebler

B I K E R A C K S

2022



Quality from Germany



Uebler – top quality and experience

In addition to its commitment to its region, the owner-run company based in the Franconian town of Forchheim, has its own sustainable production chain, which fully meets the present day standards for high-quality "Made in Germany" production.

Apart from the assembly work, all metalworking processes are carried out directly on the Forchheim site. Components such as die-cast elements are also produced in the surrounding region.

This is where our employees, currently 150, implement all the Uebler product ideas – starting with the development, to production through to the logistics management, so that we are able to offer our Uebler customers and trading partners easy to use, high-quality products.



Conviction across the board

uebler
BIKE RACKS

Uebler towbar bike rack structure

Spacers
for 1st and 2nd
bicycle, lockable and
removable

Ratchet system
for optimum fixing
of bike wheels of
almost any type and
size

Widened bike rails
suitable for all
popular tyre
widths

Integrated handle
for easy folding out/in of the
bike rails and lights
(not available for all models)

Quick-release
lock for all standard
towbars

Preset quick-release levers
for easy and secure
adjustment of the
rack U-bar



Pedal
for comfortable folding
of the carrier (not available
for all models)

Design lights
with high radiant power

The test winner winner

In recent years, Uebler has not only managed to convince a large number of consumers with its products; since 2011 it has also come out on top 47 times in diverse product tests. An incredible success rate!

The decisive factors for these very good ratings are the standards Uebler sets for ease of use, technically contemporary solutions, quality standards and above all, safety.

The needs of the customer always come first. Our product development department tries to offer a simple, useful and safe solution for all user groups.

test wins summary 2021



test wins summary 2020



test wins summary 2019 -2017






Simple mounting of the towbar bike racks

Uebler towbar bike racks are available, depending on the model, with two different patented quick-release lock systems. The traditional quick-release lever lock or the modern IQ fastener. Both variants enable easy and uncomplicated fixing of the towbar bike rack on the towbar coupling. Above all, the IQ fastener enables all customers to fix the towbar bike rack on the vehicle conveniently, without exerting any force. Try it out for yourself at your local trading partner, you will be impressed!



Both quick-release locks systems are suitable for all standard car towbar systems.

IMPORTANT: Always note the support load of the towbar!

Quick-release lever lock:



IQ fastener:



Easy Bicycle Mounting

After mounting the bike rack on the vehicle, the bicycles are just as easy to mount. They are simply lifted onto the towbar bike rack or are pushed on far more conveniently with the help of an optional ramp rails; particularly useful for eBikes with higher self-weight.



Safe Transport of the Bicycles


Uebler offers two types of spacers for fixing different bicycle variants on Uebler bike racks. The spacer with clamps is suitable for all bicycle frames with a round tube up to 75 mm Ø or an oval tube up to 75x45 mm Ø. The spacer with toothed belt is used for bicycle frames with larger dimensions. The maximum frame sizes are then up to 115 mm Ø for a round tube, up to 120x80 mm for a rectangular tube and up to 95x95 mm for a square tube.

Spacer with clamps:






1 The spacer with clamps grips around standard frames. The spacers are easily mounted by pressing together the clamps with one hand.



2 Spacers with suitable length are available for every bicycle position.



3 The bicycles are fixed on the rack frames by the spacers.

Spacer with toothed belt:






1 The spacer with toothed belt was developed for sheathing box-section frames. Press the red button, the spacer can then be mounted easily with only one hand.



2 Spacers with suitable length are available for every bicycle position.



3 The bicycles are fixed on the rack frames by the spacers.

Product finder

Towbar bike racks							
1 bike	F14						
Tilt down	—						
Foldable	✓						
Lock system	iQ						
	Page 15						
2 bikes	P22 S	F24	X21 S	i21	i21 90°	i21-DC	i21 90°-DC
Tilt down	90°	—	60°	60°	90°	60°	90°
Foldable	U-bar only	✓	✓	✓	✓	✓	✓
Lock system	Lever	iQ	Lever	iQ	iQ	iQ	iQ
	Page 17	Page 15	Page 13	Page 9	Page 9	Page 11	Page 11
3 bikes	P32 S	P22 S + Kit	F34	X31 S	i31	i31-DC	
Tilt down	60°	90°	—	60°	60°	60°	
Foldable	U-bar only	U-bar only	✓	✓	✓	✓	
Lock system	Lever	Lever	iQ	Lever	iQ	iQ	
	Page 17	Page 17	Page 15	Page 13	Page 9	Page 11	
4 bikes	P32 S + Kit						
Tilt down	60°						
Foldable	U-bar only						
Lock system	Lever						
	Page 17						

Tailgate bike racks							
2 bikes	T6 Basis						
Fold-in	✓						
	Page 19						
3 bikes	T6 Basis + Kit						
Fold-in	✓						
	Page 19						
4 bikes	T6 Family						
Fold-in	✓						
	Page 19						

i-Series

Innovation & Perfection

A successful symbiosis of intelligent lightweight construction and perfect engineering. The birth of the revolutionary and patented IQ lock, which enables safe, easy and lever-less attachment. The premium i-Series racks have already achieved 21 test wins since their market launch in 2017. In comparative tests, the series was not only picked out for being the lightest, but also the most user-friendly rack series in its class. The best ratings by far were also achieved for the design. The i-series also consistently stands for safety, product quality and loadability.

"Made in Germany" - with a 3-year guarantee.

- Foldable to particularly compact storage size
- Consistent and intelligent lightweight construction
- Large load capacity due to low self-weight
- Patented, lever-free iQ fastener with anti-theft device
- Removable bike holders with one-hand operation and anti-theft device
- Easy to tilt down using the foot lever for convenient access to the boot
- Convenient transport for all bike types and e-bikes (for extra-large frames and also wide wheels)
- Quick-release lever for easy and safe fixing of the U-bar
- Ratchet system for optimum fixing of the bike wheels, centred on the bike rail
- "Isi" design light series
- One key for all locks



Summary of all technical data of the i-series - see page 20.




uebler
BIKE RACKS

i21

- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 13 kg
- 2 removable bike holders


Art.-No. 15900



i21^{90°}

- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 13 kg
- 2 removable bike holders with toothed belt and carbon protection


Art.-No. 15920



i31

- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16 kg
- 3 removable bike holders

Art.-No. 15910



DC-Series

Safety & Technology

These innovative rack systems with integrated park assist - Distance Control (DC) - to the highest Uebler standard combine all product advantages of the respective rack systems with additional convenience for reversing or parking. Obstacles are detected unerringly and are indicated visually and acoustically. The electronic park assist is activated automatically on engaging the reverse gear.

"Made in Germany" - with a 3-year guarantee.

- Unique: Large detector range with 2 sensors

- Signalling by interference-proof wireless technology
- All external components are waterproof
- Visual and acoustic signalling
- Volume and display brightness adjustable
- Distance visualisation (approach) in the display
- EU development with European type approval

Summary of all technical data of the DC series-
see page 20.




uebler
BIKE RACKS

i21-DC

- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 13 kg
- 2 removable bike holders


Art.-No. 15900-DC



i21^{90°}-DC

- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 13 kg
- 2 removable bike holders with toothed belt and carbon protection


Art.-No. 15920-DC



i31-DC

- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16 kg
- 3 removable bike holders

Art.-No. 15910-DC



X-Series

Handling & Lightness

Since its launch in 2011, the X21 series has set clear standards with 26 product test wins/best ratings, which also applies to the latest generation. Apart from being lightweight and stable, these racks are characterised by the easiest possible handling and their unique folding concept. Ergonomically well thought-through, functional and easy to understand, and at the same time extremely stable and resistant.

"Made in Germany" - with a 3-year guarantee.

- Lightweight and compactly folding, enables easy handling and stowing away
- Patented quick-release lock with anti-theft device
- Bike rails easily folded using integrated handle
- Extremely convenient tilt mechanism using a large foot pedal
- Safe transport of all bicycle types and e-bikes
- Low self-weight for high carrying convenience and large load capacity
- Removable bike holders with one-hand operation and anti-theft device
- Preset quick-release levers for easy and secure fastening of the U-bar
- Ratchet system for secure fixing of the bike wheels, centred on the bike rail
- "Eli" design lights series, slidable sideways
- One key for all locks

Summary of all technical data of the X-Series - see page 20.




uebler
BIKE RACKS

X21 S

- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 14 kg
- 2 removable bike holders


Art.-No. 15760



X31 S

- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16,5 kg
- 3 removable bike holders

Art.-No. 15770



F-Series

Reduction & Ergonomics



The F-series is the highlight when it comes to individualism and easiness. Easily mounted – easily loaded – easily transported – easily dismantled. Individualists are in the right place here: With the bike rack for only one bicycle, Uebler offers one of the lightest and, when folded together, one of the most compact tow-bar bike racks on the market. The F-Series naturally also includes variants for transporting 2 or 3 bicycles. Ergonomic down to the smallest detail and mounted in seconds. The patented quick-release lock ensures safe and convenient transport. All racks are completely fold-away, however, they cannot be tilted down on the vehicle.

“Made in Germany” - with a 3-year guarantee.

- Lightweight and compactly folding, enables easy handling and stowing away

- Patented IQ fastener with anti-theft device
- Low self-weight for high carrying convenience
- Safe transport of all bike types and e-bikes
- Partly removable bike holders with one-hand operation and anti-theft device
- Removable spacers with one-hand operation and anti-theft device
- Ratchet system for secure fixing of the bike wheels, centred on the bike rail
- “Isi” design light series
- One key for all locks


Summary of all technical data of the F-Series
- see page 21.

uebler
BIKE RACKS

F14

- For 1 bike
- Max. load capacity 30 kg
- Self-weight 9,9 kg
- 1 removable bike holder


Art.-No. 15940



F24

- For 2 bikes
- Max. load capacity 60 kg
- Self-weight 12 kg
- 2 removable bike holders


Art.-No. 15950



F34

- For 3 bikes
- Max. load capacity 54 kg
- Self-weight 14,5 kg
- 3 removable bike holders

Art.-No. 15960



Flexibility through Extension



The P-series racks can be extended by one rail each if necessary and so can be flexibly adapted to your needs. And it goes without saying that they are also equipped with a patented quick-release lock and the well thought-through ergonomic principle of all Uebler bike racks.

These racks have convincing features such as innovative, removable bike holders for bikes, optimised quick-release fasteners and the modern, slidable light system.

"Made in Germany" - with a 3-year guarantee.

- Stable, safe and practical
- Patented quick-release lock with anti-theft device
- Extremely convenient tilt mechanism using a large foot pedal

- Safe transport of all bike types and e-bikes
- Low self-weight for high carrying convenience and large load capacity
- Removable bike holders with one-hand operation and anti-theft device
- Preset quick-release levers for easy and secure fastening of the U-bar
- Ratchet system for optimum fixing of the bike wheels, centred on the bike rail
- "Eli" design lights series, slidable sideways
- One key for all locks

Summary of all technical data of the P-Series - see page 21.

P22 S


- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 14 kg
- 2 removable bike holders
- Extendable for 3rd bike

Art.-No. 15800

Extension kit for 3rd bike

- Bike rails with ratchet system
- Bike holder for 3rd bike
- Complete max. load capacity 52 kg

Art.-No. 19710



P32 S

- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16 kg
- 3 removable bike holders
- Extendable for 4th bike


Art.-No. 15810

Extension kit for 4th bike

- Bike rails with ratchet system
- Bike holder for 4th bike
- Complete max. load capacity 72 kg
- 2 tension belts

Art.-No. 19720

Check with the respective car manufacturer whether rack with securing straps can be used!



Solutions for the holiday trip

For people with wanderlust and camping friends, Uebl-er naturally has solutions for safe transport of all bike types. Regardless of whether for a trip for two or with the family, we offer transport solutions for the most popular travelling vehicles.

Especially for the Volkswagen T6 series, Uebl-er's pri-mavelo series offers a perfect solution. These Tailgate bike racks are particularly precise-fitting and are fi xed stably and securely onto the mounting points on the vehicle provided by Volkswagen. This ensures maxi-mum safety and ergonomics.

A solution with towbar adapter is offered for bike transport on the travel classic per se, the caravan. This enables safe transport of up to 2 bikes on each holiday trip by using an existing towbar bike rack with easy and convenient handling.



"Made in Germany" - with a 3-year guarantee.



Uebl-er drawbar adapter

- Universal drawbar adapter for caravans for mounting towbar bike racks
- Suitable for wider drawbar (e.g. Hobby and AL-KO)
- Mounting without drilling
- Black powder coated
- Self-weight only 7.2 kg
- Maximum load capacity 60 kg (note support load)

Art.-No. 19460




Uebl-er tailgate racks
Primavelo T6 Basis

- For 2 bikes
- Max. load capacity 60 kg (30 kg per bike rail)
- Self-weight only 12 kg
- Removable, lockable bike holders
- Extendable for 3rd bike

Art.-No. 30360

Extension kit for 3rd bike

Art.-No. 19561



Uebl-er tailgate racks
Primavelo T6 Family

- For 4 bikes
- Integrated anti-theft device
- Max. load capacity 70 kg (1st/2nd bike rail max. 30 kg each, 3rd/4th bike rail max. 17.5 kg each)
- Self-weight only 16 kg
- Removable, lockable bike holders

Art.-No. 30364

Vehicle type	year built	Art.-No.	Art.-No. Extension for 3rd bike	Anti-theftdevice
Volkswagen				
Bus T6 with tailgate for 2 bikes	from 07/15	30360	19561	standard
Bus T6 with tailgate, complete for 4 bikes	from 07/15	30364	—	standard

Important: The primavelo tailgate bike racks are only suitable and approved for the following vehicles.

Overview towbar bike racks



A 3-year guarantee
applies to all products!

i-Series / DC-Series

Technical details	i21 / i21-DC	i21 90° / i21 90°-DC	i31 / i31-DC
Product number	15900 / 15900-DC	15920 / 15920-DC	15910 / 15910-DC
Number of bikes	2	2	3
Suitable for e-bikes	✓	✓	✓
Dimensions (W x H x D)	118 x 69 x 56 cm	118 x 69 x 56 cm	118 x 84 x 71 cm
Dimensions (W x H x D), folded up	61 x 20 x 60 cm	61 x 20 x 60 cm	61 x 21 x 76 cm
Weight	13 kg	13 kg	16 kg
Maximum load capacity (Important: Please note the D-value of your towbar!)	37 kg from SL 50 kg 60 kg from SL 75 kg	37 kg from SL 50 kg 60 kg from SL 75 kg	34 kg from SL 50 kg 54 kg from SL 75 kg
Maximum wheelbase of the bike	130 cm	130 cm	130 cm
Can be tilted down, even with bikes	yes / 60 degrees	yes / 90 degrees	yes / 60 degrees
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 115 mm Ø for a round tube, 120x80 mm for a rec- tangular tube, 95x95 mm for a square tube	up to 75 mm round tube or 75 x 45 mm oval tube
Bike anti-theft device / lockable	✓	✓	✓
Rack anti-theft device / lockable	✓	✓	✓
Track spacing	220 mm	220 mm	190 / 180 mm
EuroBE and TÜV approval	✓	✓	✓
Maximum allowable bike tyre width	4.5" (approx. 11.5cm)	4.5" (approx. 11.5cm)	4.5" (approx. 11.5cm)
Quality product, made in Germany	✓	✓	✓
Special equipment	Lever-free mounting Removable bike holders	Lever -free mounting Removable bike holders with toothed belt	Lever-free mounting Removable bike holders

X-Series

Technical details	X21 S	X31 S
Product number	15760	15770
Number of bikes	2	3
Suitable for e-bikes	✓	✓
Dimensions (W x H x D)	119 x 77 x 64 cm	119 x 77 x 79 cm
Dimensions (W x H x D), folded up	63 x 24 x 64 cm	63 x 24 x 79 cm
Weight	14 kg	16,5 kg
Maximum load capacity (Important: Please note the D-value of your towbar!)	36 kg from SL 50 kg 60 kg from SL 75 kg	33,5 kg from SL 50 kg 54 kg from SL 75 kg
Maximum wheelbase of the bike	130 cm	130 cm
Can be tilted down, even with bikes	yes / 60 degrees	yes / 60 degrees
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube
Bike anti-theft device / lockable	✓	✓
Rack anti-theft device / lockable	✓	✓
Track spacing	220 mm	190 / 180 mm
EuroBE and TÜV approval	✓	✓
Maximum allowable bike tyre width	2.8" (approx. 7cm) [4,5" (ca. 11,5 cm)]*	2.8" (approx. 7cm) [4,5" (ca. 11,5 cm)]*
Quality product, made in Germany	✓	✓
Special equipment	Removable bike holders	Removable bike holders

[]* With toothed belt kit for fatbikes.

F-Series

Technical details	F14	F24	F34
Product number	15940	15950	15960
Number of bikes	1	2	3
Suitable for e-bikes	✓	✓	✓
Dimensions (W x H x D)	118 x 38 x 57 cm	118 x 56 x 67 cm	118 x 71 x 82 cm
Dimensions (W x H x D), folded up	61 x 20 x 50 cm	61 x 20 x 60 cm	61 x 20 x 75 cm
Weight	9,9 kg	12 kg	14,5 kg
Maximum load capacity (Important: Please note the D-value of your towbar!)	30 kg from SL 50 kg 30 kg from SL 75 kg	38 kg from SL 50 kg 60 kg from SL 75 kg	35,5 kg from SL 50 kg 54 kg from SL 75 kg
Maximum wheelbase of the bike	130 cm	130 cm	130 cm
Can be tilted down, even with bikes	—	—	—
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube
Bike anti-theft device / lockable	✓	✓	✓
Rack anti-theft device / lockable	✓	✓	✓
Track spacing	—	220 mm	190 / 180 mm
EuroBE and TÜV approval	✓	✓	✓
Maximum allowable bike tyre width	2,8" (ca. 7 cm) 4.5" (approx. 11.5cm)	2,8" (ca. 7 cm) 4.5" (approx. 11.5cm)	2,8" (ca. 7 cm) 4.5" (approx. 11.5cm)
Quality product, made in Germany	✓	✓	✓
Special equipment	Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders

P-Series

Technical details	P22 S	P32 S
Product number	15800	15810
Number of bikes	2, extendable for 3 rd (Art.-No. 19710)	3, extendable for 4 th (Art.-No. 19720)
Suitable for e-bikes	✓	✓
Dimensions (W x H x D)	115 x 77 x 65 cm	115 x 77 x 79 cm
Dimensions (W x H x D), folded up	—	—
Weight	14 kg (15 kg with extension)	16 kg (16.5 kg with extension)
Maximum load capacity (Important: Please note the D-value of your towbar!)	35 kg from SL 50 kg 60 kg from SL 75 kg	34 kg from SL 50 kg 54 kg from SL 75 kg
Maximum wheelbase of the bike	125 cm	125 cm
Can be tilted down, even with bikes	yes / 90 degrees	yes / 60 degrees
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube
Bike anti-theft device / lockable	✓	✓
Rack anti-theft device / lockable	✓	✓
Track spacing	220 / 180 mm (2 nd to 3 rd bike)	190 / 180 mm (3 rd to 4 th bike)
EuroBE and TÜV approval	✓	✓
Maximum allowable bike tyre width	2.8" (approx. 7cm) [4,5" (ca. 11,5 cm)]*	2.8" (approx. 7cm) [4,5" (ca. 11,5 cm)]*
Quality product, made in Germany	✓	✓
Special equipment	Removable bike holders Optionally extendable for 3 rd bike	Removable bike holders Optionally extendable for 4 th bike

Subject to change due to technical development.

Accessories



● **Transport bag**
for Uebler towbar bike rack
X21 S, F22
Item No. 19670
for X31 S, F32, F32 XL
Item No. 19680
for F42
Item No. 19590



● **Transport bag**
for Uebler towbar bike rack
i21, F24
Item No. 19840



● **Transport bag**
for Uebler towbar bike rack
i31, F34
Item No. 19850



● **Extension kit for 3rd bike**
for Uebler towbar bike rack
P22 S
Item No. 19710



● **Extension kit for 4th bike**
for Uebler towbar bike rack
P32 S
Item No. 19720



● **Extension kit for 3rd bike**
for Primavelo T6 Basis
Item No. 19561



● **Loading ramp**
for Uebler towbar bike rack of
series X and P; foldable;
including bag
Item No. 19940



● **Loading ramp with crossing rail**
for Uebler towbar bike rack of
series i and F; foldable;
including bag
Item No. 19950



● **Bike holder for 1st bike**
not removable; lockable;
for bike frames
up to 75 mm round tube or
75 x 45 mm oval tube
Item No. 19730



● **Bike holder for 2nd bike**
not removable; lockable;
for bike frames
up to 75 mm round tube or
75 x 45 mm oval tube
Item No. 19740



● **Bike holder for 1st bike**
removable; lockable;
for bike frames up to 75 mm
round tube or 75 x 45 mm oval tube
Item No. 19880



● **Bike holder for 1st bike, longer version**
removable; lockable;
for bike frames up to 75 mm
round tube or 75 x 45 mm oval tube
Item No. 19930



● **Bike holder for 2nd bike (for 2-bike rack)**
removable; lockable;
for bike frames up to 75 mm
round tube or 75 x 45 mm oval tube
Item No. 19890



● **Bike holder for 2nd bike (for 3-bike rack)**
removable; lockable;
for bike frames up to 75 mm
round tube or 75 x 45 mm oval tube
Item No. 19900



● **Bike holder 3rd/4th bike (from bike to bike)**
lockable; for bike frames up to
75 mm round tube or 75 x 45 mm
oval tube
Item No. 19910



● **Bike holder with toothed belt for 1st bike**
removable; lockable; with carbon
protection; for all bike frames
(including box-section frames)
up to 120x80 mm
Item No. 19960



● **Bike holder with toothed belt for 2nd bike (for 2-bike rack)**
removable; lockable; with carbon
protection; for all bike frames
(including box-section frames)
up to 120x80 mm
Item No. 19970




● **Bike holder with toothed belt for 2nd bike (for 3-bike rack)**
removable; lockable; with carbon
protection; for all bike frames
(including box-section frames)
up to 120x80 mm
Item No. 19980



● **Bike holder with toothed belt for 3rd/4th Bike (from bike to bike)**
lockable; with carbon protection;
for all bike frames (including box-
section frames) up to 120x80 mm
Item No. 19990



● **Padding (carbon protection)**
for toothed belts;
(1 set = 4 pieces)
Item No. 25050



● **Toothed belts kit for fatbikes**
Length 46 cm; up to 4.5" tyre
width; (1 set = 4 pieces)
for the series X and P
Item No. 19870
for the series i and F
Item No. 25010



● **Ratchet set conversion kit**
for all aluminium bicycle rails;
(1 set = 4 pieces)
Item No. 19470



● **Tension belts**
universals; length 60 cm;
(1 set = 2 pieces)
Item No. 1606



● **Drawbar adapter**
universal drawbar adapter
for caravans
Item No. 19460

uebler

B I K E R A C K S



www.uebler.com

Uebler GmbH

Daimlerstraße 22
91301 Forchheim
Deutschland

Telefon: +49 (0) 9191 7362-0

info@uebler.com
www.uebler.com

Subject to change due to technical development.

Issued by:

Authorised Uebler dealer